

Day : Monday
Date: 9/26/2005

Time: 14:35:08


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = DOERR

First Name = CHRISTOPHER

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09506757	6267152	150	02/18/2000	Hang tag and method of applying hang tag to an elongated object	DOERR, CHRISTOPHER
09771430	6845581	150	01/26/2001	HANG TAG AND METHOD OF APPLYING HANG TAG TO AN ELONGATED OBJECT	DOERR, CHRISTOPHER
10378411	6922507	150	03/03/2003	LOW-LOSS INTEGRATED OPTICAL COUPLER AND OPTICAL SWITCH	DOERR, CHRISTOPHER
09042314	6055250	150	03/13/1998	MULTIFREQUENCY LASER HAVING REDUCED WAVE MIXING	DOERR, CHRISTOPHER RICHARD
08518195	5658648	150	08/23/1995	LABELS FOR ELECTRICAL CORD SETS	DOERR, CHRISTOPHER E.
29098314	D413848	150	12/28/1998	LICENSE PLATE FRAME	DOERR, CHRISTOPHER E.
60546505	Not Issued	159	02/20/2004	Free-space wavelength-selective switch with stacked planar lightwave circuits	DOERR, CHRISTOPHER J.
09852419	Not Issued	161	05/10/2001	Reduced power consumption thermo-optic devices	DOERR, CHRISTOPHER R.
09911623	6697544	150	07/25/2001	TUNABLE THERMO-OPTIC DEVICE AND METHOD FOR USING	DOERR, CHRISTOPHER R.
10115828	6859574	150	04/03/2002	NXN SWITCHING ARRANGEMENT OF TWO PLANAR ARRAYS WITHOUT WAVEGUIDE CROSSINGS	DOERR, CHRISTOPHER R.
10243205	6832011	150	09/13/2002	PUSH-PULL THERMOOPTIC SWITCH HAVING SINGLE CONTROL SIGNAL	DOERR, CHRISTOPHER R.
10647662	Not Issued	93	08/25/2003	MONITORING ALIGNMENT BETWEEN PULSE CARVERS AND PHASE MODULATORS	DOERR, CHRISTOPHER R.

				IN OPTICAL SYSTEMS	
<u>10801481</u>	Not Issued	30	03/15/2004	Linear optical sampling methods and apparatus	DOERR, CHRISTOPHER R.
<u>10875016</u>	Not Issued	30	06/23/2004	Apparatus and method for receiving a quadrature differential phase shift key modulated optical pulsetrain	DOERR, CHRISTOPHER R.
<u>08048759</u>	<u>5442593</u>	150	04/16/1993	APPARATUS AND METHOD OF NULLING DISCRETE FREQUENCY NOISE SIGNALS	DOERR, CHRISTOPHER R.
<u>08418812</u>	<u>5513194</u>	150	04/07/1995	STRETCHED-PULSE FIBER LASER	DOERR, CHRISTOPHER R.
<u>08521100</u>	<u>5576881</u>	150	08/29/1995	MULTI-FREQUENCY OPTICAL SIGNAL SOURCE HAVING REDUCED DISTORTION AND CROSSTALK	DOERR, CHRISTOPHER R.
<u>08528485</u>	<u>5625478</u>	150	09/14/1995	OPTICALLY RESTORABLE WDM RING NETWORK USING SIMPLE ADD/DROP CIRCUITRY	DOERR, CHRISTOPHER R.
<u>08580951</u>	<u>5913000</u>	150	12/29/1995	METHOD AND APPARATUS FOR GUIDING OPTICAL SIGNALS	DOERR, CHRISTOPHER R.
<u>08635846</u>	<u>5617434</u>	150	04/22/1996	STRETCHED-PULSE FIBER LASER	DOERR, CHRISTOPHER R.
<u>08713491</u>	<u>6088144</u>	150	09/13/1996	DETECTION OF FREQUENCY-MODULATED TONES IN ELECTROMAGNETIC SIGNALS	DOERR, CHRISTOPHER R.
<u>08730284</u>	<u>5809184</u>	150	10/15/1996	POLARIZATION DIVERSITY WAVEGUIDE GRATING RECEIVER	DOERR, CHRISTOPHER R.
<u>08753654</u>	<u>5923449</u>	150	12/27/1996	OPTICALLY RESTORABLE WDM RING NETWORK USING SIMPLE ADD/DROP CIRCUITRY	DOERR, CHRISTOPHER R.
<u>08756735</u>	<u>5764665</u>	150	11/26/1996	DIRECT MODULATION OF LONG-CAVITY SEMICONDUCTOR LASERS	DOERR, CHRISTOPHER R.
<u>08861495</u>	<u>5881079</u>	150	05/22/1997	WAVELENGTH SELECTABLE LASER WITH INHERENT WAVELENGTH AND SINGLE-MODE STABILITY	DOERR, CHRISTOPHER R.

<u>09118760</u>	Not Issued	161	07/18/1998	MULTIWAVELENGTH LASER ARRAY	DOERR, CHRISTOPHER R.
<u>09232099</u>	<u>6259833</u>	150	01/15/1999	OPTICAL CROSS CONNECT USING A PLANAR ARRANGEMENT OF BEAM STEERERS	DOERR, CHRISTOPHER R.
<u>09327979</u>	<u>6266460</u>	150	06/08/1999	LARGE-CHANNEL-COUNT PROGRAMMABLE WAVELENGTH ADD-DROP	DOERR, CHRISTOPHER R.
<u>09400240</u>	<u>6549313</u>	150	09/21/1999	BROADBRAND ELECTRONIC NXN CROSS-CONNECT SWITCH USING TUNABLE LASERS	DOERR, CHRISTOPHER RICHARD
<u>09467429</u>	<u>6532090</u>	150	02/28/2000	WAVELENGTH SELECTIVE CROSS-CONNECT WITH REDUCED COMPLEXITY	DOERR, CHRISTOPHER RICHARD
<u>09490610</u>	<u>6385373</u>	150	01/25/2000	COMPENSATED CASCADED WAVEGUIDES	DOERR, CHRISTOPHER RICHARD
<u>09501901</u>	<u>6327401</u>	150	02/10/2000	Multifrequency laser system	DOERR, CHRISTOPHER RICHARD
<u>09520828</u>	<u>6304380</u>	150	03/06/2000	Reducing polarization dependency of optical apparatus	DOERR, CHRISTOPHER RICHARD
<u>09532143</u>	<u>6252711</u>	150	03/21/2000	Polarization diversity for birefringent filters	DOERR, CHRISTOPHER RICHARD
<u>09532150</u>	<u>6393039</u>	150	03/21/2000	DOUBLE-PASS POLARIZATION DIVERSIFIED BIREFRINGENT FILTER	DOERR, CHRISTOPHER RICHARD
<u>09535785</u>	<u>6393173</u>	150	03/28/2000	2X2 INTEGRATED OPTICAL CROSS-CONNECT	DOERR, CHRISTOPHER RICHARD
<u>09542096</u>	<u>6366730</u>	150	04/03/2000	Tunable optical waveguides	DOERR, CHRISTOPHER RICHARD
<u>09542426</u>	<u>6408111</u>	150	04/04/2000	PHASE SHIFTERS WITH REDUCED THERMAL CROSSTALK	DOERR, CHRISTOPHER RICHARD
<u>09556558</u>	<u>6381383</u>	150	04/24/2000	Large NxN waveguide grating router	DOERR, CHRISTOPHER RICHARD
<u>09798501</u>	Not	30	03/02/2001	Wavelength filter that operates	DOERR,

	Issued			on sets of wavelength channels	CHRISTOPHER RICHARD
09809123	6708127	150	03/15/2001	BEAM PROPAGATION METHOD FOR STEP-INDEX WAVEGUIDES	DOERR, CHRISTOPHER RICHARD
09809124	6504970	150	03/15/2001	PLANAR LIGHTWAVE WAVELENGTH BLOCKER	DOERR, CHRISTOPHER RICHARD
09809125	6724952	150	03/15/2001	WAVELENGTH SELECTIVE CROSS-CONNECT (WSC)	DOERR, CHRISTOPHER RICHARD
09809126	Not Issued	161	03/15/2001	Planar lightwave wavelength blocker devices using micromachines	DOERR, CHRISTOPHER RICHARD
09809933	Not Issued	161	03/16/2001	Low loss multiplexer/demultiplexer with high spectral sampling	DOERR, CHRISTOPHER RICHARD
09810135	6658174	150	03/16/2001	PUSH-PULL THERMO-OPTIC SWITCH	DOERR, CHRISTOPHER RICHARD
09896248	Not Issued	71	06/29/2001	Wavelength-selective add/drop arrangement for optical communication systems	DOERR, CHRISTOPHER RICHARD
09906965	6556736	150	07/17/2001	DYNAMIC PASSBAND SHAPE COMPENSATION OF OPTICAL SIGNALS	DOERR, CHRISTOPHER RICHARD
10035628	Not Issued	161	11/01/2001	Integrated wavelength router	DOERR, CHRISTOPHER RICHARD
10042597	6549698	150	01/09/2002	LARGE NXN WAVEGUIDE GRATING ROUTER	DOERR, CHRISTOPHER RICHARD

[Search and Display More Records.](#)

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="DOERR"/>	<input type="text" value="CHRISTOPHER"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	428	wgr\$1 (wavelength\$1 adj1 grating\$1 adj1 router\$1)	US- PGPUB; USPAT	2005/09/26 14:33
2	BRS	L2	569	waveguide\$1 near12 grating\$1 near12 wavelength\$1 same (frequenc\$4 bandwidth\$1)	US- PGPUB; USPAT	2005/09/26 14:33
3	BRS	L3	173069 9	((add near12 drop\$4) 'add/drop' filter\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/26 14:33
4	BRS	L4	24	L1 and L2 and L3	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/26 14:33
5	BRS	L5	13	L4 and (center\$4 same wavelength\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/26 14:33

	Comments	Error Definition	Errors
1			
2			
3			
4			
5			

	Type	Hits	Search Text
1	BRS	2	("5,745,618" "6,603,898") .pn.
2	BRS	2	10/657846
3	BRS	1	("20050053323") .pn.
4	BRS	1	S3 and (grating\$1 same connect\$5 near12 waveguide\$1) and (spac\$4 same (overlap\$5 frequenc\$4 adjacent\$5)) and (increas\$4 gap\$3 distanc\$3)
5	BRS	2	S2 and (gap\$2 near7 band\$2) and increas\$4
6	BRS	2	S2 and (gap\$2 near7 band\$2 same band\$1) and increas\$4
7	BRS	1	S2 and (fiber\$1 same slab\$2 same waveguide\$1)
8	BRS	2	"5,745,618".pn.
9	BRS	0	S8 and (fiber\$1 same slab\$2 same waveguide\$1)
10	BRS	0	S8 and (fiber\$1 same slab\$2)
11	BRS	1	S8 and (fiber\$1)
12	BRS	1	S8 and fiber\$1 and (slab\$2 same waveguide\$1)
13	BRS	0	S2 and (path\$2 near12 lenth\$3 same wavelength\$1)
14	BRS	0	S2 and (path\$2 near12 lenth\$3) and wavelength\$1
15	BRS	0	S2 and (path\$2 same lenth\$3) and wavelength\$1
16	BRS	0	S2 and (path\$2 same wavelength\$1) and lenth\$2
17	BRS	2	S2 and (path\$2 near12 length\$3 same wavelength\$1)
18	BRS	2	S2 and (spac\$4 gap\$2) same (sampl\$4 oversampl\$4 over adj1 sampl\$4)
19	BRS	28	wgr same (wavelength\$1 adj1 grating\$1 adj1 router\$1)
20	BRS	11	S19 and (rout\$4 same (frequen\$4 wavelength\$1 signal\$1 band\$2 bandwidth\$3 rang\$3) near12 (waveguide\$1 (wave near1 guide\$1)))

	DBs	Time Stamp	Comments	Error Definition
1	US-PGPUB; USPAT	2005/04/07 15:28		
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:01		
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 12:30		
4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 12:41		
5	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:02		
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:19		
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:24		
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:23		
9	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:25		
10	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:24		
11	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:25		
12	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:41		
13	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:57		
14	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:55		
15	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:56		
16	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 14:57		
17	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 15:04		
18	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 15:12		
19	US-PGPUB; USPAT	2005/04/07 16:20		
20	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 16:24		

	Errors	Ref #
1		S1
2		S2
3		S3
4		S4
5		S5
6		S6
7		S7
8		S8
9		S9
10		S10
11		S11
12		S12
13		S13
14		S14
15		S15
16		S16
17		S17
18		S18
19		S19
20		S20

	Type	Hits	Search Text
21	BRS	11	S19 and ((rout\$4 transm\$5) same (frequen\$4 wavelength\$1 signal\$1 band\$2 bandwidth\$3 rang\$3) near12 (waveguide\$1 (wave near1 guide\$1))))
22	BRS	2	S19 and (awg\$1)
23	BRS	392	wgr\$1 (wavelength\$1 adj1 grating\$1 adj1 router\$1)
24	BRS	32	S23 and awg\$1
25	BRS	116	S23 and (rout\$4 same (frequen\$4 wavelength\$1 signal\$1 band\$2 bandwidth\$3 rang\$3) near12 (waveguide\$1 (wave near1 guide\$1))))
26	BRS	107	S25 and (wdm\$1 dwdm\$1 multiplex\$4 demultiplex\$4) and ((add near12 drop\$4) 'add/drop' filter\$3)
27	BRS	123	S23 and ((rout\$4 transm\$5) same (frequen\$4 wavelength\$1 signal\$1 band\$2 bandwidth\$3 rang\$3) near12 (waveguide\$1 (wave near1 guide\$1))))
28	BRS	112	S27 not S19
29	BRS	28	S23 and ((rout\$4 transm\$5) same (('same' different overlap\$4) near5 (frequen\$4 wavelength\$1 signal\$1 band\$2 bandwidth\$3 rang\$3) near12 (waveguide\$1 (wave near1 guide\$1))))
30	BRS	2	S2 and ((rout\$4 transm\$5) same (('same' different overlap\$4) near5 (frequen\$4 wavelength\$1 signal\$1 band\$2 bandwidth\$3 rang\$3) near12 (waveguide\$1 (wave near1 guide\$1))))
31	BRS	2	S2 and ((frequenc\$5 overlap\$4) same (waveguide\$1 (wave near1 guide\$1)))
32	BRS	175	waveguide\$1 near12 grating\$1 near12 wavelength\$1 same (frequenc\$4 bandwidth\$1) same (each adj1 waveguide\$1 waveguides)
33	BRS	4	S32 and S23
34	BRS	518	waveguide\$1 near12 grating\$1 near12 wavelength\$1 same (frequenc\$4 bandwidth\$1)

	DBs	Time Stamp	Comments	Error Definition
21	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 16:07		
22	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 16:19		
23	US-PGPUB; USPAT	2005/04/07 16:56		
24	US-PGPUB; USPAT	2005/04/07 16:21		
25	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 16:30		
26	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 17:11		
27	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 16:37		
28	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 16:31		
29	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 16:49		
30	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 16:51		
31	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 16:52		
32	US-PGPUB; USPAT	2005/04/07 17:09		
33	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 17:02		
34	US-PGPUB; USPAT	2005/04/07 17:47		

	Errors	Ref #
21		S21
22		S22
23		S23
24		S24
25		S25
26		S26
27		S27
28		S28
29		S29
30		S30
31		S31
32		S32
33		S33
34		S34

	Type	Hits	Search Text
35	BRS	1658913	((add near12 drop\$4) 'add/drop' filter\$3)
36	BRS	21	S23 and S34 and S35
37	BRS	7	("20020063928" "6519062" "6327401" "6304350" "6240118" "5488500" "20020063928" "6400860" "6304350").pn.
38	BRS	7	S37 and (waveguide\$1 near12 grating\$1 same wavelength\$1) and (frequenc\$4 bandwidth\$1)
39	BRS	421	wgr\$1 (wavelength\$1 adj1 grating\$1 adj1 router\$1)
40	BRS	558	waveguide\$1 near12 grating\$1 near12 wavelength\$1 same (frequenc\$4 bandwidth\$1)
41	BRS	1709282	((add near12 drop\$4) 'add/drop' filter\$3)
42	BRS	24	S39 and S40 and S41
43	BRS	15	S42 and (center\$4)
44	BRS	13	S42 and (center\$4 same wavelength\$1)
45	BRS	2	"20020063928"
46	BRS	1	S45 and S44
47	BRS	1	10/783306
48	BRS	1	S48 and (waveguide\$1 near7 grating\$1) same center\$3
49	BRS	1	S45 and (waveguide\$1 near7 grating\$1) same center\$3
50	BRS	1	S45 and (set\$1 group\$4) near7 waveguide\$1
51	BRS	1	S45 and (set\$1 group\$4)
52	BRS	2	S45 and (waveguide\$1 same (\$6band \$6bands frequenc\$4))
53	BRS	2	S45 and ((waveguide\$1 channel\$2) same (\$6band \$6bands frequenc\$4))
54	BRS	1	S45 and ((waveguide\$1 channel\$1) near7 (\$6band \$6bands frequenc\$4))

	DBs	Time Stamp	Comments	Error Definition
35	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/04/07 17:12		
36	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 11:37		
37	US-PGPUB; USPAT	2005/04/07 17:46		
38	US-PGPUB; USPAT	2005/04/07 17:49		
39	US-PGPUB; USPAT	2005/08/04 11:37		
40	US-PGPUB; USPAT	2005/08/04 11:37		
41	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 11:37		
42	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 12:19		
43	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 12:20		
44	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/26 14:32		
45	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 13:26		
46	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 12:43		
47	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 12:44		
48	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 13:30		
49	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 13:57		
50	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 14:14		
51	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 14:15		
52	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 14:17		
53	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 14:28		
54	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 14:29		

	Errors	Ref #
35		S35
36		S36
37		S37
38		S38
39		S39
40		S40
41		S41
42		S42
43		S43
44		S44
45		S45
46		S47
47		S48
48		S50
49		S51
50		S52
51		S53
52		S54
53		S55
54		S56

	Type	Hits	Search Text
55	BRS	1	S45 and ((waveguide\$1 channel\$1) near7 (\$6band \$6bands frequenc\$4 wavelength\$1))
56	BRS	1	S45 and ((waveguide\$1 channel\$1) near7 spac\$4 same wavelength\$1)
57	BRS	6	("5745618" "6219471" "6603898").pn.
58	BRS	3	("5745618" "6219471" "6603898").pn.
59	BRS	2	"5488500".pn.
60	BRS	1	S61 and ((overlap\$4 frequenc\$4) NEAR9 WAVEGUIDE\$1)
61	BRS	428	wgr\$1 (wavelength\$1 adj1 grating\$1 adj1 router\$1)
62	BRS	568	waveguide\$1 near12 grating\$1 near12 wavelength\$1 same (frequenc\$4 bandwidth\$1)
63	BRS	1728343	((add near12 drop\$4) 'add/drop' filter\$3)
64	BRS	24	S63 and S64 and S65
65	BRS	13	S66 and (center\$4 same wavelength\$1)
66	BRS	1	10/620176
67	BRS	0	S68 and gredient same (index\$3 indic\$4)
68	BRS	1	S68 and gradient same (index\$3 indic\$4)
69	BRS	2	"6160944".pn.

	DBs	Time Stamp	Comments	Error Definition
55	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 14:41		
56	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/04 14:42		
57	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/08/05 10:41		
58	US-PGPUB; USPAT	2005/08/05 10:41		
59	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/21 11:11		
60	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/21 11:12		
61	US-PGPUB; USPAT	2005/09/21 11:13		
62	US-PGPUB; USPAT	2005/09/21 11:13		
63	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/21 11:13		
64	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/21 11:13		
65	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/21 12:14		
66	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/21 12:15		
67	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/21 12:15		
68	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/21 12:21		
69	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/09/21 12:21		

	Errors	Ref #
55		S57
56		S58
57		S59
58		S60
59		S61
60		S62
61		S63
62		S64
63		S65
64		S66
65		S67
66		S68
67		S69
68		S70
69		S71